



FAO-EMPRES Website Rinderpest Images

http://www.fao.org/eims/secretariat/empres/eims_search/simple_s_result.asp?photo=3&disease=127



• العربية • 中文 • español • français

Agriculture Department

Animal Production and Health Division

home

programmes

projects

resources

subjects

commissions

SEARCH



Rinderpest epidemic causing acute and peracute symptoms in cattle, 1900. Historical, available through G. R. Thomson



Rinderpest, stamping out 1890

Historical, available through G. R. Thomson



Rinderpest - dehydration emaciation, collapse
Image by A. Depping, Ethiopia FAO 1988

Rinderpest images/ FAO



WP Taylor examining rinderpest case, 1987 Sudan
FAO Library - F. Paladini



Rinderpest clinical signs
(dehydration, emaciation &
collapse)

Photo by P.L. Roeder

1975





Rinderpest - Cow in field with diarrhoea
Image by A. Depping, Ethiopia 1988



Lethargic calf with rinderpest, Pakistan, 1996

Photo by P B Rossiter,

Rinderpest images/ FAO



K. Wojcekwoski

Cow in stall with diarrhoea caused by rinderpest



Rinderpest - ocular discharge
A. Depping, Ethiopia 1988, FAO.



Nasal discharge due to rinderpest. R. Haionen

Rinderpest images/ FAO



Nasal discharge due to rinderpest, R. Haionen

Rinderpest images/ FAO



Nasal discharge due to rinderpest, R. Haionen

Rinderpest images/ FAO



Ocular discharge, Mandera Kenya 1996. P.L. Roeder



Ocular discharge, Mandera Kenya 1996. P.L. Roeder

Rinderpest images/ FAO



Ocular Discharge
Mandera, Kenya
1996
J. Mariner



Rinderpest images/ FAO



T. Obi

Ocular and nasal discharge.

Animal also shows maculopapular rash.

The sunken eyes show dehydration, T. Obi 1982



F. Paladini

Rinderpest images/ FAO



P. B. Rossiter

Rinderpest - Kiambu strain causing oral erosions
P. Rossiter, Masailand Kenya 1988,



Dead cattle in herd affected by rinderpest 1987 Sudan
F. Paladini




Dead cattle in herd affected by rinderpest in Sudan 1987, F Paladini

Rinderpest images/ FAO



Dehydrated dead cow of rinderpest 1991 P L Roeder, Ethiopia



Covalescence after profuse diarrhea caused by rinderpest,
P. L. Roeder, Kenya

Rinderpest images/ FAO



P. L. Roeder

Rinderpest – inflamed vaginal lining
P L Roeder, Ethiopia 1991

Rinderpest images/ FAO



FAO photo-library - Dead cattle in herd affected by rinderpest

Taken for GCP/RAP/218/JPN

Technical support for PARC.FAO photo-library - F. Paladini

Rinderpest images/ FAO




Post mortem lesions of rinderpest in wildlife



Zebra stripping of intestine.

Stripes caused by congested mucosal folds.

This appearance disappears rapidly after death



CSIRO Post mortem lesions of rinderpest

Rinderpest images/ FAO



W.P. Taylor Post-mortem lesions of rinderpest (congested abomasal mucosa)



Potency and safety testing of rinderpest vaccine 1987 Kenya
Photo by F. Paladini

Rinderpest images/ FAO



Vaccination of cattle against rinderpest at the National Veterinary Institute, Debre, Zeit. 1987 Ethiopia
Photo by F. Paladini



Rinderpest in wildlife



1996, Kenya Buffalo with diarrhoea, P. B. Rossiter



Copyright AfriCam (Pty) Ltd African Buffalo

Rinderpest images/ FAO



Kudu with rinderpest, Kenya, 1994. P.B. Rossiter



Kudu with swollen hock, Rp, Kenya, 1994. P.B. Rossiter



KUDU with corneal opacity 1994, Kenya. P.B. Rossiter



Kudu with corneal opacity caused by rinderpest 1994. Kenya, P.B. Rossiter



Kudu with corneal opacity caused by rinderpest 1994. Kenya, P.B. Rossiter